




'XDO 313 6PDOO 6LJQDO 7UDQVLVW



)HDWXUHV
z 0RLVWXUH VHQVLWLWLYLW\ OHYHO
z +DORJHQ IUHH DQG 5R+6 FRPSOL
z 6XUIDFH PRXQW SDFNDJH LGHDOO
PDWLF ,QVHUWLRQ

\$SSOLFDFWLRQ
z 6LJQDO DPSOLILFDWLRQ
z 6ZLWFKLQJ FLUFXLW

OHFKDQLFDO GDWD
z 3DFNDJH 27 o3
z 7HUPLODOLQ SODWHG OHDGW VROO
- 67' DQG -(6' o3%

v0D[LPXP 5DWTQQW 8QOHVV RWKHUZLVH VSHFLILHG

Table with 5 columns: ,WHP, 6\PERO, 8QLW, &RQGLWLRQV, 9DOXH. Rows contain technical specifications and values.

o3
o3
o3
o3
o3
o3
o3



0"  
% & 809

RoHS  
COMPLIANT

0<sup>3</sup>  
0<sup>3</sup>  
0<sup>3</sup>  
0<sup>3</sup>

, WHP



0"  
% & 809

RoHS  
COMPLIANT

---



0" % & 809

RoHS COMPLIANT

0<sup>3</sup>

v2UGHULQJ ,QIRUPDWLRQ

0<sup>3</sup>


3UHIHUUH(C	3DFNL FRGH	8QLW ZHLJ	0LQLPXP SDFNDJH	,QQHU ER TXDQWLW\	2XWHU FDU TXDQWLW\	'HOLYHU\ PRGH
% & & 9	)	\$SSUR[LPDWH				

UHH

v2XWOLQH 'LPHQVLRQV

0<sup>3</sup>


### SOT-563



DIM	DIMENSIONS			
	INCHES		MM	
	MIN	MAX	MIN	MAX
A	0.006	0.011	0.150	0.300
B	0.043	0.051	1.100	1.300
C	0.059	0.067	1.500	1.700
D	0.016	0.024	0.400	0.600
E	0.0025	0.042	0.060	0.110
F	0.000	0.000	0.000	0.000
G	0.000	0.000	0.000	0.000
H	0.000	0.000	0.000	0.000
I	0.000	0.000	0.000	0.000
J	0.000	0.000	0.000	0.000
K	0.000	0.000	0.000	0.000
L	0.000	0.000	0.000	0.000
M	0.000	0.000	0.000	0.000

0<sup>3</sup>

v6XJJHVWHG 3DG /D\RXW



0<sup>3</sup>

0 3 0 3

